December 2017 – Million Hearts® Messaging
Holidays can Be Stressful, Make time to review the Signs and Symptoms

The holidays can be the most wonderful time of the year and the most stressful. That's why it's a good time for doctors, nurses and other health care practitioners to make sure their patients of all ages know the signs and symptoms of stroke, heart attack and cardiac arrest.



In This Issue:

- December's Focus and Fast Facts
- Social Media Messages
- Sample Newsletter Article
- Million Hearts® Partner Resources

We Want to Know

Do you like these messages? Do they meet your needs? We want your feedback! We also want you to use these messages as you wish on your own communications channels. Please share this content!

Month's Focus

Whether you celebrate Christmas, Hanukkah, Kwanzaa or something else, the holidays can be the most wonderful time of the year, with family gatherings, big meals and lots of gifts. But this time of year can also be very stressful. That's why it's a good time for doctors, nurses and other health care practitioners to make sure that their patients – both young and old – know the signs and symptoms of stroke, heart attack and cardiac arrest. During a cardiovascular event, every minute counts. Fast treatment can lessen

the brain damage that stroke can cause and a person's chance of surviving a heart attack increases if emergency treatment is administered as soon as possible.

Did you know?

- Stroke is the 5th leading cause of death in the United Sates, happening far more often than you'd think.
- According to the American Heart Association, about 795,000 people in the United States suffer a stroke each year. About 610,000 of these are first attacks and 185,000 are recurrent attacks.
- Stroke can strike any age. In fact, 1 in 7 strokes occur in adolescents and young adults, ages 15 to 49.
- Heart attacks are also common. Every year, about 790,000 Americans have a heart attack. Of these, 580,000 are a first attack and 210,000 are recurrent attacks.
- Thankfully, both stroke and heart attacks are preventable – and treatable. But you must act fast. By knowing the signs and symptoms of both stroke and heart attacks, you can take quick action and perhaps save a life – maybe even your own.

A stroke occurs when the blood supply to the brain is cut off or when a blood vessel bursts. Signs of stroke include: (1) Sudden numbness or weakness in the face, arm, or leg, especially on one side of the body; (2) Sudden confusion, trouble speaking, or difficulty understanding speech; (3) Sudden trouble seeing in one or both eyes; (4) Sudden trouble walking, dizziness, loss of balance or loss of coordination; and (5) A sudden headache.

A heart attack happens when the blood supply to the heart is cut off. Symptoms of a heart attack include: (1) Cue a 3.3 (n)10(n)-0.7 rp (a)-3.2 (op3 (n)10(n)0.7 (e: ( )98179 (a)10.6 (5.9 (a)7.r)-2(s)-4.3 (s)-F946

Image #3

Sample Newsletter Article

Thankfully, both stroke and heart attacks are preventable and treatable. But you must act fast. By